

QUESTIONS FOR ANSWERS ON THE DAY

(but not taken up)

Bet Balkonda Tank in Basavakalyan Taluk588. **Sri BAPURAO ANAND RAO** (Basavakalyan).—

Will the Minister for Public Works and Electricity be pleased to state :—

(a) whether the Government has received any representation complaining against the tardy execution of Bet Balkonda tank in Basavakalyan Taluk of Bidar District ;

(b) the average daily strength of labourers working on this tank since the beginning ;

(c) the steps taken by the Government to force the contractor to employ more labourers on the tank in view of drought conditions there ;

(d) the average daily wages received by the labourers ?

Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) Yes.

(b) The average labour strength working from 8th December 1972 to 4th March 1973 is 159 per day.

(c) Depending on the availability of water which is required for consolidation, the bund work is programmed to be done.

(d) 1 A man Mazdoor gets an average of Rs. 2-50 per day

2 A woman Mazdoor gets an average of Rs. 1-50 per day.

3 A Voddar ge's an average of Rs. 4 per day.

Health Unit Type Dispensary at Wadawadgi751. **Sri M. M. SAJJAN** (Muddebihal).—

Will the Minister for Health be pleased to state :—

(a) the date when the Taluk Development Board of Basavanna Bagewadi recommended for establishing Health Type Dispensary at Wadawadgi :

(b) whether the Director of Medical Services and Family Planning recommended for establishing this dispensary ;

(c) whether the sanction has been accorded by the Government?